

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L23 and I20	4

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L24

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Wednesday, September 10, 2003 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L24</u>	L23 and l20	4	<u>L24</u>
<u>L23</u>	L22 near l21	15557	<u>L23</u>
<u>L22</u>	force	2002111	<u>L22</u>
<u>L21</u>	damp\$3	294328	<u>L21</u>
<u>L20</u>	L19 and l10	126	<u>L20</u>
<u>L19</u>	L18 or l14	4521	<u>L19</u>
<u>L18</u>	L17 or l15 or l16	2458	<u>L18</u>
<u>L17</u>	under near steer\$3	1290	<u>L17</u>
<u>L16</u>	under-steer\$3	362	<u>L16</u>
<u>L15</u>	understeer\$3	1250	<u>L15</u>
<u>L14</u>	L13 or l12 or l11	3131	<u>L14</u>
<u>L13</u>	oversteer\$3	1341	<u>L13</u>
<u>L12</u>	over-steer\$3	420	<u>L12</u>
<u>L11</u>	over near steer\$3	1907	<u>L11</u>
<u>L10</u>	l8 and l5 and l9	203	<u>L10</u>
<u>L9</u>	steering angle	17436	<u>L9</u>
<u>L8</u>	L7 near l6	65769	<u>L8</u>
<u>L7</u>	speed or velocity	2317802	<u>L7</u>
<u>L6</u>	vehicle	1378510	<u>L6</u>
<u>L5</u>	L4 near4 l3	339	<u>L5</u>
<u>L4</u>	compar\$3	1832161	<u>L4</u>
<u>L3</u>	l1 near l2	4717	<u>L3</u>
<u>L2</u>	rate	1835904	<u>L2</u>
<u>L1</u>	yaW	18001	<u>L1</u>

END OF SEARCH HISTORY

Patent Assignment Abstract of Title

Total Assignments: 1

Application #: 10033870 **Filing Dt:** 12/28/2001 **Patent #:** NONE **Issue Dt:**
PCT #: NONE **Publication #:** 20030047994 **Pub Dt:** 03/13/200
Inventor: You-Seok Koh
Title: Method for controlling a damper of a vehicle

Assignment: 1

Reel/Frame: 012437/0615 **Received:** 01/14/2002 **Recorded:** 12/28/2001 **Mailed:** 03/04/2002 **Pages:**

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignor: KOH, YOU-SEOK **Exec Dt:** 12/24/2001

Assignee: MANDO CORPORATION
 POSEUNG-MYUN, PYUNGTAEK-SI
 343-1, MANHO-RI
 KYONGGI-DO 451-821, KOREA, REPUBLIC OF

Correspondent: ANDERSON, KILL & OLICK, P.C.
 DAVID EINHORN, ESQ.
 1251 AVENUE OF THE AMERICAS
 43RD FLOOR
 NEW YORK, NY 10020-1182

Search Results as of: 9/10/2003 9:03:57 A.M.

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 703-308-9723
 Web interface last modified: Oct. 5, 2002

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L18 and 19	19

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L19

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Tuesday, September 09, 2003 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	L18 and l9	19	<u>L19</u>
<u>L18</u>	L17 and l16	1068	<u>L18</u>
<u>L17</u>	l14 or l13 or l10	3131	<u>L17</u>
<u>L16</u>	L15 or l12 or l11	2458	<u>L16</u>
<u>L15</u>	under-steer\$3	362	<u>L15</u>
<u>L14</u>	over-steer\$3	420	<u>L14</u>
<u>L13</u>	oversteer\$3	1341	<u>L13</u>
<u>L12</u>	understeer\$3	1250	<u>L12</u>
<u>L11</u>	under near steer\$3	1290	<u>L11</u>
<u>L10</u>	over near steer\$3	1907	<u>L10</u>
<u>L9</u>	L8 and l7 and l3 and l6	54	<u>L9</u>
<u>L8</u>	l4 near3 l5	92825	<u>L8</u>
<u>L7</u>	l1 near3 l2	4983	<u>L7</u>
<u>L6</u>	"damping force"	13050	<u>L6</u>
<u>L5</u>	velocity or speed	2317802	<u>L5</u>
<u>L4</u>	vehicle	1378510	<u>L4</u>
<u>L3</u>	"steering angle"	17436	<u>L3</u>
<u>L2</u>	rate	1835904	<u>L2</u>
<u>L1</u>	yaw	18001	<u>L1</u>

END OF SEARCH HISTORY